

POWER FACTOR CORRECTION



POWER FACTOR CONTROLLER

144 x 144

- 4 QUADRANT OPERATIONS
- 7 AND 13 STEPS
- VISIO SYSTEM
- GRAPH DISPLAY
- SCADA READY
- DOUBLE COSFI
- ETHERNET OPTIONAL
- RS485 ONBOARD



POWER FACTOR CORRECTION



POWER FACTOR CONTROLLER

96x96

- 4 QUADRANT OPERATIONS
- 5 STEPS
- VISIO SYSTEM
- GRAPH DISPLAY
- SCADA READY
- DOUBLE COSFI
- RS485 ONBOARD



POWER FACTOR CORRECTION



POWER FACTOR CONTROLLER

144 x 144

- 4 QUADRANT READINGS
- AVAILABLE IN 4-6-8-12 STEPS
- ALARM RELAY
- TTL PORT
- ANTI HUNTING FUNCTION
- AUTORECOGNIZE STEPS



POWER FACTOR CORRECTION



POWER FACTOR CONTROLLER

96x96

- 4 QUADRANT READINGS
- AVAILABLE IN 4-6 STEPS
- ALARM RELAY
- TTL PORT OPTIONAL
- ANTI HUNTING FUNCTION
- AUTORECOGNIZE STEPS

